





Narrow cross point »S« or »NCR«





Narrow wedge point »PCL«



Narrow wedge point »PCR«



Reverse twist point »LR« or »RTW«





Wide reverse twist point »LBR« or »WD R TW«

Point symbol: Direction of seam

Point symbol:

Direction of seam

Product:

Cutting point with a lens-shaped cross-section. The incision follows the direction of the seam.

Result: A very straight seam

Materials:

Suitable for all types of leather

Applications:

Footwear manufacture

Manufacture of bags, suitcases, etc. with coarse ornamental seams

Manufacture of belts and straps

Product:

Cutting point with a lens-shaped cross-section. The incision is made at right angles to the seam direction.

Result: A very strong seam

Materials:

Suitable for all types of leather

Applications:


Footwear manufacture

Manufacture of bags, suitcases, accessories

Highlight:

The twist ensures that, when the needle emerges from the material being sewn, the thread is protected in the twist groove and is thus not drawn over the edge of the groove and eye or over the cutting edge and not damaged.

- CL: Left twist groove below eye for hooks positioned to the right of the needle.
- CR: Right twist groove below eye for hooks positioned to the left of the needle. It is particularly useful as the lefthand needle on a twin needle lockstitch machine.



Product:

Cutting point with a lens-shaped cross-section. The incision is made at a 45° angle to the direction of the seam.

Result: A decorative seam inclined slightly towards the left

Applications:

Clothing industry

Footwear manufacture


Manufacture of bags, suitcases

Materials:

Suitable for all types of leather

Highlight:

The best needle for decorative seams



Product:

Cutting point with a lens-shaped cross-section. The incision is made at a 45° angle to the direction of the seam. The cutting effect is achieved beyond the diameter of the needle.

Result: A raised, decorative seam inclined towards the left

Materials:

Suitable for all types of leather

Applications:


Clothing industry Manufacture of bags, suitcases Upholstery manufacture

Highlight:

Recommended for decorative seams which characterise the design







Twist point »LLCR«

Point symbol: Direction of seam

Product:

Cutting point with a lens-shaped cross-section. The incision is made at a 135° angle to the direction of the seam.

Result: A slightly recessed, straight seam

Materials:

Suitable for all types of leather

Applications:

LL point:

Footwear manufacture

Manufacture of bags, suitcases

Particularly suitable for shoe repairs


LLCR point:

For the manufacture of footwear, in order to achieve the same seam appearance with the hook positioned to the left of the needle as achieved using the LR point in conjunction with a hook positioned to the right of the needle.





Diamond point »DI« or »DIA«



Product:

Cutting point with a rhombic crosssection. The centred incision is made in the direction of the seam. The seam appearance corresponds to that achieved with the narrow cross point (S point); however, the four cutting edges of the DI point allow heavy, hard material to be pierced more easily.

Result: A very straight, recessed seam

Materials:

Suitable for heavy, dry, hard leather

Applications:

Footwear manufacture Manufacture of bags, suitcases

Highlight:

Absolutely precise and tidy seam appearance


Correct stitch appearance

No needle deflection





Triangular point »D« or »TRI«



Product:

Cutting point with a triangular cross-section.

Result: A straight seam

Materials:

Suitable for hard, dry leather

Applications:

Manufacture of footwear, especially for heavy footwear (e.g. high-leg boots)

Stitching upholstery


Stitching plastics, cardboard, heavy pressboard, paper

Highlight:


The best cutting effect of all cutting points







Half triangular point »DH«



Product:

Cutting point with a triangular cross-section; smaller than D point.

Result: A straight seam

Materials:

Composites, e.g. laminated material together with plastic sections

Plastic sections

Hard pressboard

Tarpaulin material

Tent canvas

Applications:

Stitching upholstery

Manufacture of vehicle inte-


Manufacture of tarpaulins, tents, awnings







Reverse twist spear point »VR« or »R TW SP«



Product:

Cutting point with a rhombic cross-section. The incision is made at a 45° angle to the direction of the seam.

Result: A seam inclined slightly towards the left

Better cutting effect than the comparable reverse twist point (LR point)

Materials:

Suitable for hard, dry leather


Applications:

Footwear manufacture

Manufacture of bags, suit-


Highlight:

Due to the four cutting edges, a correct stitch appearance and no needle deflection is achieved





Round point with small triangular tip »SD1« or »TRI TIP«



Product:

Round point with a very small, triangular cross-section. The small triangular tip cuts approx. 10% of the stitch hole, with the remaining 90% being displaced by the conical round point (R point).

Result: A straight seam

A tidy seam appearance

Correct stitch appearance and less needle deflection than with a round point (R point)

Smaller incision than when using a cutting point

Materials:

Fine leather

Clothing made of leather and imitation leather

Thin, synthetic leather materials

Materials coated with PVC/PUR, e.g. tarpaulins, tents, coated table cloths

Applications:

Stitching leather

Stitching plastic

Stitching hard fibres

Stitching films

Highlight:

Multidirectional sewing:

The stitch appearance remains the same in all sewing directions when using multidirectional sewing techniques (programmable sewing machines).



Choosing the point form:

The point form is determined by the stitching technique and the desired seam appearance.

Needle threading from left to right.

Stitching technique	Seam appearance			Point	Point form			
Very strong seams Fine ornamental seams	P/PCL/P	PCR		P PCL PCR	Narrow wedge point Narrow wedge point with left twist groove below eye Narrow wedge point with right twist groove below eye			
Normal seams Coarse ornamental seams Very straight seams	S S	1 cm 1		S DI	Narrow cross point Diamond point			
Decorative seams (ornamental seams/normal seams)	LR Level 1	man man man R	LBR	LR VR LBR	Reverse twist point Reverse twist spear point Wide reverse twist point			
Very straight seams	1 cm			LL	Twist point			
Coarse/normal seams Cross seams	l cm	DH		D DH	Triangular point Half triangular point			
Embroidery Special features, e.g. appliqué	1 cm	s D1		R SD1	Normal round point Round point with small triangular tip			
Multidirectional sewing	SD1			SD1	Round point with small triangular tip			
Material combinations, composites: - Garments	T tem	mp 1 mp 1 S D 1		R SD1	Normal round point Round point with small triangular tip			
– Industrial sector	D	DH Commonweal		D DH	Triangular point Half triangular point			



The right needle size:

The stitching technique and the choice of thread determine the needle size.

Two essential criteria must be taken into account:

1. Thread/seam appearance

The needle size is determined by the thickness of the thread and the desired seam appearance.

2. Material and material properties

The harder and thicker the material, the thicker the needle must be.

Con	tınuo	HE TI	ama	nt
CUII	unuv	uə III	CILIE .	ш.

	Polyamide 6.6 (Nylon)				Poly			
Stitching	Yarn size		Needle size		Yarn size		Needle size	
technique	No*	tex*	NM	SIZE	No*	tex*	NM	SIZE
Coarse	4	750	280-330	28-30	4	750	250-300	27-29
decorative	5	600	250-300	27-29	5	600	250-280	27-28
seams					6	500	230-250	26-27
	7	429	230-250	26-27	7	429	200-230	25-26
	8/9	375/333	200-250	25-27	8/9	375/333	180-200	24-25
	10/11	300/273	160-230	23-26	10/11	300/273	140-180	22-24
	12	250	160-230	23-26	12	250	140-180	22-24
Coarse	13	231	160-200	23-25	13/14	231/214	130-160	21-23
seams	15	200	160-180	23-24	15	200	125-140	20-22
					18	167	120-130	19-21
	20	150	120-160	19-23	20	150	110-130	18-21
					24/25	125/120	100-110	16-18
	30	100	100-140	16-22	30	100	100-110	16-18
Medium	40	75	100-120	16-19	40	75	100-110	16-18
seams					50	60	90-100	14-16
	60	50	80-100	12-16	60	50	80-90	12-14
					70	43	75-80	11-12
	80-90	38/33	70-90	10-14	80/90	38/33	70-80	10-12
Stay seams	40	75	100-120	16-19	40	75	100-110	16-18
(heel seams)	60	50	80-100	12-16	60	50	80-90	12-14
	80/90	38/33	70-90	10-14	80/90	38/33	70-80	10-12
					100	30	65-70	9-10

SCHMETZ tip:

These tables only include the most common threads. Cotton threads, sewing silk and embroidery yarn have been omitted for the sake of clarity.

If you have specific questions concerning these threads, please ask your thread manufacturer.

Core spun

Polyester/Cotton					Polyester/Polyester				
Stitching	Υ	Yarn size		Needle size		Yarn size		Needle size	
technique	No*	tex*	NM	SIZE	No*	tex*	NM	SIZE	
Coarse	4	750	230-280	26-28					
decorative	5	600	180-250	24-27					
seams	6	500	180-200	24-25					
	8	375	180-200	24-25	8	375	160-200	23-25	
	12	250	160-180	23-24	12	250	140-180	22-24	
Coarse	15	200	140-160	22-23					
seams	20	150	140-160	22-23	20	150	120-160	19-23	
	24	125	130-160	21-23					
	25	120	120-140	19-22	25	120	110-140	18-22	
	28	107	120-140	19-22					
	30	100	120-140	19-22	30	100	110-130	18-21	
	35/36	86/83	110-130	18-21	35/36	86/83	100-120	16-19	
Medium	40	75	100-120	16-19	40	75	100-110	16-18	
seams	50	60	100-110	16-18	50	60	90-100	14-16	
	60/75	50/40	90-100	14-16	60/75	50/40	90-100	14-16	
	80	38	90-100	14-16	80	38	80-90	12-14	
	90	33	80-90	12-14					
	100	30	80-90	12-14	100	30	70-90	10-14	
Stay seams	40	75	100-120	16-19	40	75	100-110	16-18	
(heel seams)	60/75	50/40	90-100	14-16	60/75	50/40	90-100	14-16	
	80	38	90-100	14-16	80	38	80-90	12-14	



^{*} No = Label number

tex = Unit of size in g/1000 m (e.g. 75 tex = 1000 m yarn weigh 75 g)